



TELEPHONE MAN OF AMERICA

Earning Your Business Every Step of the Way!

Specializing in Telecom Equipment of all Brands, Carrier Services, Technician Services, Maintenance Agreements & Purchasing Excess Telecom Equipment!

I will always do my best to match or beat any competitors bid!

| Local: 863-614-1900 | Toll Free: 866-770-4930 | Fax: 888-782-3072 |

Email: telephoneman@telephonemanofamerica.com |

URL: www.TelephonemanOfAmerica.com | URL: www.AvayaPartnerAcs.com | URL: www.SkypeMyPBX.com |

URL: www.shop.telephonemanofamerica.com |

Lower Your Business Telephone Bill with Skype on your PBX/Phone System!!

Actiontec VoSKY Exchange Skype Gateways connect your PBX Phones to SKYPE!!

Make unlimited calls for only \$1.97/mo per line on your CURRENT business PBX/Phone system!!


Your Ultimate Gateway to Skype...

Exchange Pro | VIS8

Skype™ on All of Your Office Phones



VoSKY simplifies the deployment of Skype for the business environment with its turn-key VoSKY Exchange Pro VIS8 PBX-to-Skype gateway to enable businesses of all sizes to enhance communications and reduce telecom costs via Skype, the world's largest VoIP network. The VoSKY Exchange Pro VIS8 is a stand alone, rack-mountable FXS PBX gateway that does not require a PC. This plug & play appliance seamlessly integrates with any existing TDM or IP PBX through the analog trunk ports to add up to 8 lines to Skype. Multiple Exchange Pro gateways in different office locations can be interconnected together to enable free calls between colleagues. Calls to other Skype users are free, while calls to non-Skype users are charged at low-cost SkypeOut rates



Supports Full Skype Experience

Skype is the biggest and most popular VoIP network in the world, boasting over 200 million users worldwide. Tapping into this huge resource used to require a costly and time-consuming overhaul of your existing PBX phone system. The VIS8, however, with its rack-mountable, single box installation, allows you to access Skype without having to “forklift” your entire phone system. And, after installation, anyone in the office can grab a Skype line just by picking up a normal phone (no more headsets!) and dialing a preset number. VIS8 automatically finds an open Skype line, and you’re making free or low-cost calls.

Leverage the Power of Skype with Four Business-class VoIP Applications

- 1 Multi-Site PBX Networking** – Companies with offices in different locations can eliminate the cost of intra-office communications by installing a VIS8 in every office. This creates a virtual PBX that replaces costly point-to-point leased lines with Skype-to-Skype trunking system that enables free calls and creates a common office phone system.
- 2 Remote PBX Access** – More savings can be realized using VIS8 by offering office road warriors, telecommuters, or satellite office workers remote access to the corporate PBX via Skype. These remote users can call back to headquarters using Skype's softphone on their laptop.
- 3 Website Click-to-Call** – VIS8 also features the ability for a business to equip its website with a "Click-to-Call" function that allows customers and partners to click a button on the website and place a free Skype call to the sales, customer service, or technical support departments.
- 4 Skype Trunking** – With VIS8 connected to the company PBX, employees can make low-cost SkypeOut calls to any traditional long-distance or international landline or mobile number from their office desk phones. Savings of up to 90% of standard phone rates can be realized by taking advantage of SkypeOut.

Exchange Pro VIS8

Ideal for SMBs... Connect, Communicate and Collaborate on the World's Largest FREE VoIP Network

The VIS8 is perfect for SMBs (small- and medium-sized businesses) that are searching for better and more efficient collaboration and communication techniques, especially if they operate in a multi-office, multi-location environments. The ability to leverage Skype's massive networking reach, combined with ease-of-use, and free or low-cost calls, makes the VIS8 a perfect addition to a company's communications arsenal.



Other Advantages

Additionally, the VIS8, with its built-in server, gives your IT department better control of the network and its appliances. Also, you can depend that your communications will be secure with Skype's end-to-end Skype encryption. Finally, VIS8 checks for new firmware revisions every 24 hours, ensuring that it is always up to date.

About Skype

Skype is the world's largest free VoIP supplier, with over 200 million users. Skype aims to delight you by offering free global telephony to make unlimited, superior quality voice calls via its next-generation peer-to-peer software. Skype is a wholly-owned subsidiary of eBay.



vs



(Everyone Else)

Over 200 Million+ Users

Less Than 10 Million Users

About VoSKY

VoSKY is a leading developer of innovative VoIP solutions that simplify and enhance the use of Skype, the world's largest VoIP network. The company's flagship product is its VoSKY Exchange Skype certified VoIP gateways that allow companies to connect their existing phone systems to the Internet to optimize Skype for the business environment. VoSKY Exchange seamlessly integrates with existing phone systems and enables business-class applications that help companies reduce communications costs and improve productivity.

* When used with standard feature set.

** Costs vary by country – most only 24¢/minute.

Exchange Pro VIS8

Additional Features

- Skype P2P Internet telephony protocol compatible
- Single box design, (space saving, easier to manage and troubleshoot)
- Supports Skype v3.1
- Supports 8 Skype /SkypeOut lines on one computer
- Supports SkypePro, SkypePro + SkypeIN services
- Supports Skype ID system
 - Harness Skype call transfer API for Skype 3.x incoming calls
 - Uses call back mechanism for older versions of Skype during incoming calls
 - Uses Exchange switching mechanism and call transfer API for inter-Exchange calls
- Flexible IM/voice prompt language selection
- Complies with Skype dialing format
- Delivers Skype functionality into enterprise extension system
- Call progress tone generation & detection
- Supports clear duplex calls with Digital Echo Cancellation
- Supports complete Voice menu function during dialing
- Supports Skype/SkypeOut speed-dial
- Smart Dialing Plan provides up to two-segment 16-digital speed dialing codes for Skype or SkypeOut calls
- Personal Phonebook allows each user to create and manage their own phonebooks
- Single Desktop option manages all Skype lines on a single desktop
- Firmware/Software Online Update automatically checks for software and firmware updates every 24 hours
- Call Overflow Forwarding can be enabled when all lines of VIS8 are busy
- Troubleshooting awareness: Skype Status Detection, Skype Crashed Detection, Line Lock Detection Plug-N-Play
- Notifications for troubleshooting errors and for SkypeOut credit low-balance warning

- Call Log for inbound and outbound calls
- Cadence: Supports 100+ countries tone cadence and a custom setting facility
- Polarity Reversal Generation
- Smart Skype Dialing for any Skype client
- Smart stacking technology: up to 2 units
- VNC web administrations for remote control
- VoSKY Voice Recording Utility

Technical Specifications

Host	
Features	Descriptions
Dimensions (W x H x D)	482 x 42 x 448 mm
Mother Board	MSI P1-105(MS-9218 V3.X), Intel 3000 Chipset Based
CPU	Intel Xeon 3060 2.4GHz
RAM	1G RAM DDRII-667 ECC
HDD	80G 3.5" SATA
Raiser Card	PCI Express to PCI-X
DVD ROM	SLIM DVD-ROM 8X
Power supply	AC Input:100~240V, 60~50 Hz, 6~3A AC Output: 300 W (MAX)
Chassis	1U Rack Mount
Network Interface	RJ45 X 2 (100 Mbps Ethernet)
LCD Status Display	(1) Supports 32 to 127 of ASCII text mode (2) Screen matrices: 2 rows x 16 columns (by character) (3) Character size: 6 pixels x 8 pixels (4) Backlight: one-source type
Certificate	FCC, CE, BSMI, CB, CCC, C-Tick, UL, VCCI

Exchange Pro VIS8

Technical Specifications (cont'd)

VoSKY FXS-port PCI card (Universal 32-bit PCI2.2 board for both 3.3V and 5V)	
Features	Descriptions
Power supply	3.3V PCI bus powered, 12V ATX powered
Dimensions	PCB: 220mm X 95mm Top layer components height: 14.5mm Bottom layer components height: 3.5mm
Operating temperature	0°C - 55°C
Operation humidity	0% - 70%
Storage temperature	-20°C - 70°C
Storage humidity	0% - 95% (Non-Condensing)
Interface	8 FXS ports (in 2 RJ45 modular jack) connect to PBX's FXO ports 2-bit DIP switch supporting up to 4 PCS cards in one PC
FXS port	Impedance: 600 Ohm(typical), programmable On-hook voltage: -48V DC Off-hook loop current: 25mA(typical), 20-41mA programmable Ringing voltage: – 63Vrms balanced, sine wave, frequency programmable – 73Vrms unbalanced with -48V DC offset, 25Hz sine wave REN (ringer equivalence number): 2 Interface: 2-wire, loop start Frequency response: 200~3400 Hz Call progress detection: ONHOOK, OFFHOOK, DTMF, FLASH Dial tone/voice prompt, busy tone, ring back tone, ringing cadence, DTMF generate during call process Generate “wink” for remote hang up signaling LEC (line echo cancellation) Full duplex voice channel Inbound/Outbound DTMF Relay Generate Polarity Reversal signals Operating current: Typical 130 mA per port, peak (ringing at 2 REN) 400 mA per port
Certificate	FCC, CE

Software	
Features	Descriptions
OS	Windows XP Professional+SP2+MUI (Multilingual User Interface) pack
Application	Skype v3.1, TrendMicro Antivirus
Internet connection	Dedicated Broadband (downlink ≥ 2 Mbps, Uplink ≥ 256 Kbps)
PBX	1 to 8 Analog Trunk Ports with Auto Attendant for connecting with 1 to 8 Skype lines

Corporate Office

760 N. Mary Avenue, Sunnyvale, CA 94085

Main: (408) 731-3900

Tech Support: (719) 884-7417

Sales Info: (866) 341-3285

Tech Support Fax: (719) 522-9421

Fax: (408) 541-9003

Internet: www.vosky.com

Contact Your Reseller

© 2007 VoSKY

VoSKY, the VoSKY logo, and *Your Ultimate Gateway to Skype*, are trademarks or registered trademarks of Actiontec Electronics, Inc. Skype, the Skype logo, SkypeOut, SkypeIn, SkypeCall, and SkypeWeb are trademarks or registered trademarks of Skype Limited. All other names are properties of their respective owners.

Product photo may differ from actual product, however functionality remains as stated above. Specifications are subject to change without notice.